

UHF Narrow Band Telecommand Module

New

CDT-TX-02M-R/CDT-RX-02M-R

CDT-TX-02M-R and CDT-RX-02M-R are telecommand transmitter and receiver which are specially designed for switching signal transmission. The RF channel is fixed but selectable within 4 preprogrammed channels. In addition to the RF part, the module includes MSK modem and Photo MOS relays (RX) in its robust metal housing.


A handy transmitter can be easily made only by connecting a switching board to the CDT-TX-02M-R.

Feature

- 6 switch inputs and outputs
- Stand by mode in TX
- 4 operation modes in RX
- Low voltage and consumption current
- MSK modem equipped
- Long range control
- CDT-01-compatible communication format
- RoHS / R&TTE compliance

Application

- Remote control for motor operated shutter blinds, garage doors, gates etc.
- Industrial remote control
- Security / Alarms
- Paging system



General

Item	Specification	Condition
Applicable standard	EN 300 220	
Communication form	One way	MSK 1200 bps
Communication range	500 - 1000 m	Line-of-sight
Number of RF channels	4	
Frequency*	434.075/433.920/434.600/434.700 MHz	
Operating temp. range	-20 to +60 degree C	No dew condensation

CDT-TX-02M-R (Transmitter)

Item	Specification	Condition
Transmitter type	PLL controlled VCO	
RF Output	10 mW	
Supply voltage	2.2 - 12 V (Max. rating 14.5 V)	
Supply current	TX:27 mA, Stand-by:1 uA	
Inputs	6 Switch inputs	Negative logic
Antenna	1/4 lambda whip antenna	
Dimensions	36 mm x 26 mm x 8 mm	Excluding protrusion

CDT-RX-02M-R (Receiver)

Item	Specification	Condition
Sensitivity	-120 dBm (BER:10 ⁻²)	
Supply voltage	3.0 - 12 V (Max. rating 14.5 V)	
Supply current	6-outputs Off: 16 mA, On: 50 mA	
Operation mode	One-shot, Toggle, Keying, Continuous	Set by 3 input ports
Outputs	6-photo MOS relay outputs	
Output relay	Max 48 V, 100 mA AC/DC	
Antenna	1/4 lambda whip antenna	
Dimensions	53 mm x 35 mm x 12 mm	Excluding protrusion

Specifications are subject to change without prior notice
*Other frequency: Please contact Circuit Design, Inc.